

TZIELD PATIENT JOURNEY

What Is TZIELD?

TZIELD is a prescription medicine used to delay the onset of Stage 3 type 1 diabetes, which is when your body can't make enough insulin on its own and may require insulin injections. TZIELD is for **adults and children 8 years of age and older who have Stage 2 type 1 diabetes**. This means that they have tested positive for 2 or more type 1 diabetes-related autoantibodies, have abnormal blood sugar levels, and do not have type 2 diabetes.

It is not known if TZIELD is safe and effective in children under 8 years of age.

How Is TZIELD Given?

- TZIELD is an intravenous (IV) infusion. This means it's given through a needle into a vein in your arm
- Infusions are given once a day, every day for 14 days in a row
- Each infusion is at least 30 minutes long

Please see Important Safety Information below and full Prescribing Information [here](#).

Beginning Your TZIELD Journey

Discuss with your doctor whether TZIELD is right for you or your loved one. This may involve reviewing educational materials on type 1 diabetes and TZIELD, treatment expectations, and your infusion options. Your doctor may also order blood tests to help ensure TZIELD is right for you and that you are ready to submit for insurance approval.

Once you and your doctor have decided that TZIELD is right for you or your loved one, your journey begins!

Throughout this process, you and your doctor can receive support from TZIELD COMPASS, a patient support program created to help make the TZIELD treatment experience as smooth as possible from start to finish.


Starting TZIELD and Insurance Approval



Consider a Site of Care (SOC) and Infusion Method

- Identify infusion locations (office, home, or both) that work with your insurance coverage, location, transportation, and scheduling needs
- Talk to your doctor about different infusion methods, such as a daily IV infusion, a midline, or a peripherally inserted central catheter (PICC)
- Share your choices with TZIELD COMPASS, which will work with your health plan to review coverage and help your doctor obtain approval

Your doctor will explain your treatment options and help you decide which method and location are best for you.



Enroll in TZIELD COMPASS Patient Support

- Learn about your TZIELD COMPASS support team and the ways they can help you throughout your treatment journey
- Provide your signature or eConsent to complete your TZIELD COMPASS enrollment
- Connect with a Therapeutic Education Manager (TEM) to learn more about what to expect during your infusion. A TEM can also connect you with a TZIELD Patient Ambassador, someone who is living with or caring for a child with Stage 2 T1D and has been treated with TZIELD

Your doctor will complete the enrollment form with your help, including asking for needed information and your final consent to enroll.

Reminder

COMPASS Navigators are available throughout your treatment journey whenever you have questions or need additional resources or support.

You can reach out to your TEM if you have questions about the infusion process.




Understand Your Insurance Coverage

- Review your insurance coverage and benefits with your COMPASS Navigator
- Make a final decision with your doctor about your SOC and infusion options, based on your insurance coverage
- Learn what financial assistance may be available

Based on your coverage options, your doctor can help you make your final infusion decisions.

TZIELD Treatment and Follow-Up



Schedule Your Infusion

- Work with your doctor to schedule your 14-day treatment
- Take any pre-infusion medication and complete any pre-infusion lab work your doctor orders
- Ask your doctor any remaining questions you may have about your infusion

Your doctor will help you schedule your infusion and finish preparing for treatment.



Complete Your Infusion

- Confirm your infusion appointment through your COMPASS Navigator
- Complete all 14 daily infusions and receive check-ins from your doctor and TZIELD COMPASS Navigator along the way
- A TEM is available to help coordinate a second check-in with your TZIELD Patient Ambassador during your infusion

During your treatment period, your doctor will check in with you to make sure everything is going okay.

Learn more
Click [here](#) to see how you can receive personalized support along your treatment path.



Begin Post-Infusion Follow-Up

- Discuss post-treatment monitoring and care with your doctor
- Contact your COMPASS Navigator if you have any insurance or coverage questions

Once treatment is done, your doctor will meet with you and review your follow-up care.

If you have any questions, please call TZIELD COMPASS at 1-844-778-2246, Monday through Friday from 8:00 AM-8:00 PM ET, or send us an email at COMPASS@sanofi.com

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about TZIELD?

TZIELD may cause serious side effects. These include:

- **Cytokine release syndrome (CRS).** Signs and symptoms may start during the first 5 days of TZIELD treatment and could include fever, nausea, feeling tired (fatigue), headache, muscle and joint pain, or increased liver enzymes in your blood. Tell your healthcare provider right away if you develop any signs and symptoms of CRS during treatment with TZIELD
- **Decrease in white blood cells.** TZIELD may cause a decrease in a type of white blood cell called lymphocytes. A decrease in white blood cells is a serious, but common side effect that can affect your body's ability to fight infections. A decrease in white blood cell counts can happen after your first dose. Your white blood cell counts will start to go back to normal after your fifth dose of TZIELD. Some people may develop longer and more severe decreases in lymphocytes

Your healthcare provider will do blood tests to check your liver and your complete blood counts before you start treatment and during treatment with TZIELD. During and after your treatment with TZIELD, your healthcare provider will check for serious side effects, as well as other side effects, and treat you as needed. Your healthcare provider may temporarily or completely stop your treatment with TZIELD, if you develop liver problems, have a serious infection, or if your blood counts stay too low.

What should I tell my healthcare provider before receiving TZIELD?

Before all your receiving TZIELD, tell your healthcare provider about all your medical conditions, including if you:

- have a serious infection or an infection that does not go away or keeps coming back
- have recently received or are scheduled to receive an immunization (vaccine). TZIELD may affect how well a vaccine works. Tell your doctor that you are receiving TZIELD before receiving a vaccine
- are pregnant or plan to become pregnant. TZIELD may harm your unborn baby. Do not receive TZIELD during pregnancy and at least 30 days before a planned pregnancy
- are breastfeeding or plan to breastfeed. It is not known if TZIELD passes into your breast milk and if it can harm your baby. Talk to your healthcare provider about the best way to feed your baby if you receive TZIELD

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

What are the possible side effects of TZIELD?

The most common side effects of TZIELD include:

- rash
- leukopenia (decrease in white blood cell counts)
- headache

These are not all of the possible side effects of TZIELD. Talk to your healthcare provider for more information, and tell them about any side effects you notice. You may report side effects to the FDA at www.fda.gov/medwatch or 1-800-FDA-1088.

Please see [Medication Guide](#) and [Prescribing Information](#). Talk to your doctor about TZIELD.

TZIELD COMPASS is a patient support program that helps eligible patients gain access to TZIELD and provides them with education and resources related to TZIELD.

TZIELD is the registered trademark of the Sanofi Group. TZIELD is manufactured by Provention Bio, a Sanofi Company. © 2024 Sanofi. All rights reserved. MAT-US-2406214-v1.0-08/2024